



argusmedia.com

## **ARGUS BIOFUELS**

### **Contents:**

Methodology overview	2
Price assessments — introduction	5
Argus Open Markets	5
Europe	6
Asia-Pacific	9
Spot price assessments	12
Alternative aviation fuels	17
Alternative marine fuels	17
Ethanol	18
Biomethanol	19
Biomethane	19
Biopropane	20
Monthly averages	20
Reference prices	21
Freight	22
Forward price assessments and swaps	22

**LAST UPDATED: JUNE 2024**

The most up-to-date Argus Biofuels methodology is available on [www.argusmedia.com](http://www.argusmedia.com)

## Methodology overview

### Methodology rationale

Argus strives to construct methodologies that reflect the way the market trades. Argus aims to produce price assessments which are reliable indicators of commodity market values, free from distortion and representative of spot market values. As a result, the specific currencies, volume units, locations and other particulars of an assessment are determined by industry conventions.

In the European biofuels market, Argus publishes physical market prices in the open spot market as laid out in the specifications and methodology guide. Argus uses the trading period deemed by Argus to be most appropriate, in consultation with industry, to capture spot liquidity.

In order to be included in the assessment process, deals must meet the minimum volume, delivery, timing and specification requirements in our methodology. In illiquid markets, Argus assesses the range within which product could have traded by applying a strict process outlined later in this methodology.

### Survey process

Argus price assessments are informed by information received from a wide cross section of market participants, including producers, consumers and intermediaries. Argus reporters engage with the industry by proactively polling participants for market data. Argus will contact and accept market data from all credible market sources including front and back office of market participants and brokers. Argus will also receive market data from electronic trading platforms, Argus Open Markets® (AOM®) and directly from the back offices of market participants. Argus will accept market data by telephone, instant messenger, email, AOM or other means.

Argus encourages all sources of market data to submit all market data to which they are a party that falls within the Argus stated methodological criteria for the relevant assessment. Argus encourages all sources of market data to submit transaction data from back office functions.

Throughout all markets, Argus is constantly seeking to increase the number of companies willing to provide market data. Reporters are mentored and held accountable for expanding their pool of contacts. The number of entities providing market data can vary significantly from day to day based on market conditions.

For certain price assessments identified by local management, if more than 50pc of the market data involved in arriving at a price assessment is sourced from a single party the supervising editor will engage in an analysis of the market data with the primary reporter to ensure that the quality and integrity of the assessment has not been affected.

### Market data usage

In each market, Argus uses the methodological approach deemed to be the most reliable and representative for that market. Argus will utilise various types of market data in its methodologies, to include:

- Transactions
- Bids and offers
- Other market information, to include spread values between grades, locations, timings, and many other data.

In many markets, the relevant methodology will assign a relatively higher importance to transactions over bids and offers, and a relatively higher importance to bids and offers over other market information. Certain markets however will exist for which such a hierarchy would produce unreliable and non-representative price assessments, and so the methodology must assign a different relative importance in order to ensure the quality and integrity of the price assessment. And even in markets for which the hierarchy normally applies, certain market situations will at times emerge for which the strict hierarchy would produce non-representative prices, requiring Argus to adapt in order to publish representative prices.

### Verification of transaction data

Reporters carefully analyse all data submitted to the price assessment process. This data includes transactions, bids, offers, volumes, counterparties, specifications and any other information that contributes materially to the determination of price. This high level of care described applies regardless of the methodology employed. Specific to transactions, bids, and offers, reporters seek to verify the price, the volume, the specifications, location basis, and counterparty.

Several tests are applied by reporters in all markets to transactional data to determine if it should be subjected to further scrutiny. If a transaction has been identified as failing such a test, it will receive further scrutiny. For assessments used to settle derivatives and for many other assessments, Argus has established internal procedures that involve escalation of inquiry within the source's company and escalating review within Argus management. Should this process determine that a transaction should be excluded from the price assessment process, the supervising editor will initiate approval and, if necessary, documentation procedures.

### Primary tests applied by reporters

- Transactions not transacted at arm's length, including deals between related parties or affiliates.
- Transaction prices that deviate significantly from the mean of all transactions submitted for that day.
- Transaction prices that fall outside of the generally observed lows and highs that operated throughout the trading day.
- Transactions that are suspected to be a leg of another transaction or in some way contingent on an unknown transaction.
- Single deal volumes that significantly exceed the typical transaction volume for that market.
- Transaction details that are identified by other market participants as being for any reason potentially anomalous and perceived by Argus to be as such.
- Transaction details that are reported by one counterparty differently than the other counterparty.
- Any transaction details that appear to the reporter to be illogical or to stray from the norms of trading behaviour. This could include but is not limited to divergent specifications, unusual delivery location and counterparties not typically seen.

- Transactions that involve the same counterparties, the same price and delivery dates are checked to see that they are separate deals and not one deal duplicated in Argus records.

### Secondary tests applied by editors for transactions identified for further scrutiny

#### Transaction tests

- The impact of linkage of the deal to possible other transactions such as contingent legs, exchanges, options, swaps, or other derivative instruments. This will include a review of transactions in markets that the reporter may not be covering.
- The nature of disagreement between counterparties on transactional details.
- The possibility that a deal is directly linked to an offsetting transaction that is not publicly known, for example a “wash trade” which has the purpose of influencing the published price.
- The impact of non-market factors on price or volume, including distressed delivery, credit issues, scheduling issues, demurrage, or containment.

#### Source tests

- The credibility of the explanation provided for the outlying nature of the transaction.
- The track record of the source. Sources will be deemed more credible if they
  - Regularly provide transaction data with few errors.
  - Provide data by Argus’ established deadline.
  - Quickly respond to queries from Argus reporters.
  - Have staff designated to respond to such queries.
- How close the information receipt is to the deadline for information, and the impact of that proximity on the validation process.

### Assessment guidelines

As insufficient, inadequate, or no transaction information may exist in the biofuels markets, Argus reporters will make an assessment of market value by applying intelligent judgment based on a broad array of factual market information. Reporters must use a high degree of care in gathering and validating all market data used in determining price assessments, a degree of care equal to that applying to gathering and validating transactions. The information used to form an assessment could include deals done, bids, offers, tenders, spread trades, exchange trades, fundamental supply and demand information and other inputs.

The assessment process employing judgment is rigorous, replicable, and uses widely accepted valuation metrics. These valuation metrics mirror the process used by physical commodity traders to internally assess value prior to entering the market with a bid or offer. Applying these valuation metrics along with sound judgment significantly narrows the band within which a commodity can be assessed, and greatly increases the accuracy and consistency of the price series. The application of judgment is conducted jointly with the supervising editor, in order to be sure that guidelines below are being followed. Valuation metrics include the following:

### Relative value transactions

Frequently transactions occur which instead of being an outright purchase or sale of a single commodity, are instead exchanges of commodities. Such transactions allow reporters to value less liquid markets against more liquid ones and establish a strong basis for the exercise of judgment.

- Exchange one commodity for a different commodity in the same market at a negotiated value.
- Exchange delivery dates for the same commodity at a negotiated value.
- Exchange a commodity in one location for the same commodity at another location at a negotiated value.

### Bids and offers

If a sufficient number of bids and offers populate the market, then the highest bid and the lowest offer can be assumed to define the boundaries between which a deal could be transacted.

### Comparative metrics

The relative values between compared commodities are readily discussed in the market and can be discovered through dialogue with market participants. These discussions are the precursor to negotiation and conclusion of transactions.

- Comparison to the same commodity in another market centre.
- Comparison to a more actively traded but slightly different specification commodity in the same market centre.
- Analysis of prices in forward markets for a physically deliverable commodity that allow extrapolation of value into the prompt timing for the commodity assessed.
- Comparison to the commodity’s primary feedstock or primary derived product(s).
- Comparison to trade in the same commodity but in a different modality (as in barge versus oceangoing vessel) or in a different total volume (as in full cargo load versus partial cargo load).

### Volume minimums and transaction data thresholds

Because of the varying transportation infrastructure and varying specifications traded for different European markets, Argus does not establish thresholds on the basis of a count of transactions, or volumes traded in biofuel markets, as this would lead to unreliable and non-representative assessments. Argus will typically use comparative metrics (as defined above) and relative value transactions to determine price assessments in the absence of confirmed transaction data. As no transaction threshold exists, Argus follows the procedures outlined elsewhere in this document regarding the exercise of judgment in the price assessment process.

### Swaps and forwards markets

Argus publishes forward assessments for numerous markets. These include forward market contracts that can allow physical delivery and swaps contracts that swap a fixed price for the average of a floating published price. Argus looks at forward swaps to inform physical assessments but places primary emphasis on the physical markets.

## Publications and price data

Argus biofuels prices for Europe are published in the Argus Biofuels report. The price data are available independent of the text-based report in electronic files that can feed into various databases. These price data are also supplied through various third-party data integrators. The Argus website also provides access to prices, reports and news with various web-based tools. All Argus prices are kept in a historical database and available for purchase. Contact your local Argus office for information.

## Corrections to assessments

Argus will on occasion publish corrections to price assessments after the publication date. We will correct errors that arise from clerical mistakes, calculation errors, or a misapplication of our stated methodology. Argus will not retroactively assess markets based on new information learned after the assessments are published. We make our best effort to assess markets based on the information we gather during the trading day assessed.

## Ethics and compliance

Argus operates according to the best practices in the publishing field, and maintains thorough compliance procedures throughout the firm. We want to be seen as a preferred provider by our subscribers, who are held to equally high standards, while at the same time maintaining our editorial integrity and independence. Argus has a strict ethics policy that applies to all staff. The policy can be found on our website at [www.argusmedia.com](http://www.argusmedia.com). Included in this policy are restrictions against staff trading in any energy commodity or energy related stocks, and guidelines for accepting gifts. Argus also has strict policies regarding central archiving of email and instant messenger communication, maintenance and archiving of notes, and archiving of spreadsheets and deal lists used in the price assessment process. Argus publishes prices that report and reflect prevailing levels for open-market arms length transactions (please see the [Argus Global Compliance Policy](#) for a detailed definition of arms length).

## Consistency in the assessment process

Argus recognises the need to have judgment consistently applied by reporters covering separate markets, and by reporters replacing existing reporters in the assessment process. In order to ensure this consistency, Argus has developed a programme of training and oversight of reporters. This programme includes:

- A global price reporting manual describing among other things the guidelines for the exercise of judgment.
- Cross-training of staff between markets to ensure proper holiday and sick leave backup. Editors that float between markets to monitor staff application of best practices.
- Experienced editors overseeing reporting teams are involved in daily mentoring and assisting in the application of judgment for illiquid markets.
- Editors are required to sign-off on all price assessments each day, thus ensuring the consistent application of judgment.

## Review of methodology

The overriding objective of any methodology is to produce price assessments which are reliable indicators of commodity market values, free from distortion and representative of spot market values. As a result, Argus editors and reporters are regularly examining our methodologies and are in regular dialogue with the industry in order to ensure that the methodologies are representative of the physical market being assessed. This process is integral with reporting on a given market. In addition to this ongoing review of methodology, Argus conducts reviews of all of its methodologies and methodology documents on at least an annual basis.

Argus market report editors and management will periodically and as merited initiate reviews of market coverage based on a qualitative analysis that includes measurements of liquidity, visibility of market data, consistency of market data, quality of market data and industry usage of the assessments. Report editors will review:

- Appropriateness of the methodology of existing assessments
- Termination of existing assessments
- Initiation of new assessments

The report editor will initiate an informal process to examine viability. This process includes:

- Informal discussions with market participants
- Informal discussions with other stakeholders
- Internal review of market data

Should changes, terminations, or initiations be merited, the report editor will submit an internal proposal to management for review and approval. Should changes or terminations of existing assessments be approved, then formal procedures for external consultation are begun.

## Changes to methodology

Formal proposals to change methodologies typically emerge out of the ongoing process of internal and external review of the methodologies. Formal procedures for external consultation regarding material changes to existing methodologies will be initiated with an announcement of the proposed change published in the relevant Argus report. This announcement will include:

- Details on the proposed change and the rationale
- Method for submitting comments with a deadline for submissions
- For prices used in derivatives, notice that all formal comments will be published after the given consultation period unless submitter requests confidentiality

Argus will provide sufficient opportunity for stakeholders to analyse and comment on changes, but will not allow the time needed to follow these procedures to create a situation wherein unrepresentative or false prices are published, markets are disrupted, or market participants are put at unnecessary risk. Argus will engage with industry throughout this process in order to gain acceptance of proposed changes to methodology. Argus cannot however guarantee universal acceptance and will

act for the good order of the market and ensure the continued integrity of its price assessments as an overriding objective.

Following the consultation period, Argus management will commence an internal review and decide on the methodology change. This will be followed by an announcement of the decision which will be published in the relevant Argus report and include a date for implementation. For prices used in derivatives, publication of stakeholders' formal comments that are not subject to confidentiality and Argus' response to those comments will also take place.

## Price assessments — introduction

Argus Biofuels is a daily market report that publishes prices and market commentary on the international bulk spot market for biofuels. Argus Biofuels contains price assessments for different types of spot contracts at specified locations. The market commentary is on the main regional market at Rotterdam.

The assessed prices are based on prices from the open spot market whenever possible.

All assessments and formulas refer to the price of the product on the day of the published report and are expressed in US dollars unless otherwise stated. The prices are for contracts under whatever general terms and conditions are accepted as standard and prevailing in that particular market. Price changes refer to the last published report.

### Timing

Price assessment times are as outlined below except on the last publication day before holidays listed in the publishing schedule or announced in the publication. On those days, prices are assessed at 12:30pm local time. For prices with an assessment period, that period advances to 12:00pm-12:30pm local time.

### Currency

All euro and pound sterling to US dollar conversions use rates at 4:00pm London time on the day of publication. All Malaysian ringgit to US dollar conversions use rates at 11:00am London time on the day of publication. All Chinese yuan to US dollar conversions use rates at 4:00pm London time the day before publication.

## Argus Open Markets

Argus Open Markets (AOM) is a web-based platform enabling market participants to post bids and offers and initiate trade for physical commodities in real time on the spot market.

In biofuels, AOM is available for:

- RED rapeseed OME fob ARA range
- RED Fame 0°C CFPP fob ARA range
- RED UCOME fob ARA range
- RED HVO fob ARA range (Class I)
- RED HVO fob ARA range (Class II)
- RED HVO fob ARA range (Class III)

- RED HVO fob ARA range (Class IV)
- RED (T2) Ethanol fob ARA range, inc duty
- RED (T2) premium Ethanol fob ARA range, inc duty
- RED UCO fob ARA range
- RED UCOME fob China bulk
- RED UCOME fob strait of Malacca bulk
- UCO fob China bulk
- Premium UCO fob China bulk
- UCO fob strait of Malacca bulk

Related price assessments are typically assessed as a volume-weighted average of deals done within Argus criteria and reported on the Argus Open Markets platform.

At times, trade initiated on AOM may occur at a price that is neither the best bid nor best offer available on AOM at the time. This may occur because of credit restrictions, logistics, because of the speed of market activity, or for other reasons.

Such trades are subject to additional scrutiny to determine why they were initiated at a price other than the best bid or best offer on AOM at the time. Argus may, when possible, normalise the price of such transactions using the most competitive bid or offer on AOM at the time when doing so would produce an assessment more reflective of market conditions.

Note, AOM users attempting to initiate trade at a price that is neither the best bid nor the best offer price available on AOM at that time will be alerted to this fact by the platform.

For the avoidance of doubt, all trade is subject to scrutiny before acceptance for inclusion in the relevant assessment.

Assessments are based on information according to the following hierarchy:

1. Confirmed trade conducted via Argus Open Markets that meets the Argus specifications, timing and location criteria
2. Confirmed trade conducted outside of Argus Open Markets that meets the Argus specifications, timing and location criteria that are reported via Argus Open Markets
3. Confirmed bids and offers conducted via Argus Open Markets that meet Argus specifications, timing and location criteria
4. Bids and offers conducted outside of Argus Open Markets that meet the Argus specifications, timing and location criteria
5. Other market information including but not limited to bids, offers and trades for other volumes, timing and locations, forward markets and arbitrage economics

In the event that Argus Open Markets is unavailable, Argus reserves the right to alter the above hierarchy in the interest of producing an accurate price assessment.



## Europe

### RED rapeseed OME fob ARA range

Rapeseed oil methyl ester meeting EN14214 specification

If the EN14214 specification differs from the Argus specification listed below, the Argus specification takes precedence.

EU duty free or EU duty paid

**Currency/unit:** US dollars/tonne

**Timing:** barges loading 7-28 days forward of the day of assessment

**Location:** fob ARA range — including Antwerp, Rotterdam, Amsterdam, Dordrecht, Flushing and Ghent

**Basis:** assessed as a differential to 7-28 day Ice gasoil, calculated on the day of assessment as the average of settlement prices for the first or first and second forward month Ice gasoil contract, weighted by the number of Argus publishing days in the 7-28 day loading period

**Size:** 1,000t, barge shipping tolerance of +/- 2pc at buyer's option

**Cold filter plugging point:** -13°C or lower

**Pour point:** between -9°C and -18°C

**Water content:** 300ppm

**Additives:** product must not contain additives with the exception of oxidation stabilisers

**Typical properties:** the following properties are expected for rapeseed OME

- **Iodine value:** 105-114g iodine/hg
- **Saturate methyl ester:** max 8pc m/m (gram of component per 100g sample)
- FAME composition in which the C18:1/C18:2 ratio is 3 or above and C18:1/C16:0 ratio is 13 or above

Market participants initiating trades on the Argus Open Markets platform acknowledge that small deviations from these standards are possible and that only a combination of test results indicating blended product will be considered as off specification

**Certificate of analysis:** product must be accompanied by a Certificate of Analysis from accredited inspectors with information including CFPP, pour point, iodine value, saturate methyl ester content and FAME composition

**Certification:** material must be accompanied with RED-compliant certification issued by a European Commission-approved auditing body

**GHG savings:** 60pc greenhouse gas savings, based on a fossil fuel comparator of 94g CO<sub>2</sub> equivalent/MJ.

**Assessment time:** 4:00pm to 4:30pm London time

**Terms and conditions:** trades are conducted under standard industry-acceptable terms and conditions (for example those of BP, Shell and Total) or other pre-agreed terms and conditions

**Proof of sustainability:** trades must be accompanied by rapeseed oil proof of sustainability and must include only standard industry-acceptable proof of sustainability clauses (for example, those of BP and Shell) in compliance with the EU RED.

Argus reserves the right to exclude from the assessment process trades accompanied by restrictive terms of Proof of Sustainability (POS). Documentation of POS or sustainability declaration must be transferred between counterparties within 20 working days after bill of lading.

**Payment:** must be made within 5 calendar days after the bill of lading

**RME-FAME:** For the purposes of price assessment it is assumed that RED rapeseed OME fob ARA can replace FAME 0° CFPP.

Accordingly, the published RED rapeseed OME fob ARA price assessment will never fall below parity with the FAME 0° CFPP price assessment published in Argus Biofuels. If the assessment process results in a RED rapeseed OME fob ARA price that is below the contemporaneous assessment of FAME 0° CFPP fob ARA, the RED rapeseed OME fob ARA AND THE FAME 0° price assessments will be equal. Note, in this event, the less liquid of the two prices will be adjusted to meet the price of the more liquid market.

### RED Fame 0°C CFPP fob ARA range

Fatty acid methyl ester meeting EN14214 specifications

If the EN14214 specification differs from the Argus specification listed below, the Argus specification takes precedence.

EU duty free or EU duty paid

**Currency/unit:** US dollars/tonne

**German-mandate compliant:** any feedstock in line with § 37b of the "Bundes-Immissionsschutzgesetz" and "Biomasseverordnung"

**Timing:** barges loading 7-28 days forward of the day of assessment

**Location:** fob ARA range — including Antwerp, Rotterdam, Amsterdam, Dordrecht, Flushing and Ghent

**Basis:** assessed as a differential to 7-28 day Ice gasoil, calculated on the day of assessment as the average of settlement prices for the first or first and second forward month Ice gasoil contract, weighted by the number of Argus publishing days in the 7-28 day loading period

**Size:** 1,000t, barge shipping tolerance of +/- 2pc at buyer's option

**Cold filter plugging point:** 0°C

**Water content:** 350ppm

**Certification:** material must be accompanied with RED-compliant certification issued by a European Commission-approved auditing body

**GHG savings:** 60pc greenhouse gas savings, based on a fossil fuel comparator of 94g CO<sub>2</sub> equivalent/MJ.

**Assessment time:** 4:00pm to 4:30pm London time

**Terms and conditions:** trades are conducted under standard industry-acceptable terms and conditions (for example those of BP, Shell and Total) or other pre-agreed terms and conditions

**Proof of sustainability:** trades must be accompanied by non-palm oil proof of sustainability and must include only standard industry-acceptable proof of sustainability clauses (for example, those of BP and Shell) in compliance with the EU RED

Argus reserves the right to exclude from the assessment process trades accompanied by restrictive terms of Proof of Sustainability (POS). Documentation of POS or sustainability declaration must be transferred between counterparties within 20 working days after bill of lading.

**Payment:** must be made within 5 calendar days after the bill of lading

**RME-FAME:** For the purposes of price assessment it is assumed that RED rapeseed OME fob ARA can replace FAME 0° CFPP.

Accordingly, the published RED rapeseed OME fob ARA price assessment will never fall below parity with the FAME 0° CFPP price assessment published in Argus Biofuels. If the assessment process results in a RED rapeseed OME fob ARA price that is below the contemporaneous assessment of FAME 0° CFPP fob ARA, the RED rapeseed OME fob ARA AND THE FAME 0° price assessments will be equal. Note, in this event, the less liquid of the two prices will be adjusted to meet the price of the more liquid market.

### RED UCOME fob ARA range

Used cooking oil methyl ester meeting EN14214

If the EN14214 specification differs from the Argus specification listed below, the Argus specification takes precedence.

EU duty free or EU duty paid

**Currency/unit:** US dollars/tonne

**Timing:** loading 7-28 days forward of the day of assessment

**Location:** fob ARA range — including Antwerp, Rotterdam, Amsterdam, Dordrecht, Flushing and Ghent

**Basis:** assessed as a differential to 7-28 day Ice gasoil, calculated on the day of assessment as the average of settlement prices for the first or first and second forward month Ice gasoil contract, weighted by the number of Argus publishing days in the 7-28 day loading period

**Size:** 1,000t, barge shipping tolerance of +/- 2pc at buyer's option

**Cold filter plugging point:** 0°C

**Water content:** maximum 350ppm

**Certification:** Material must be accompanied with RED-compliant certification issued by a European Commission-approved auditing body. Sellers must be able to provide all of the below certification criteria and, in addition, buyers must declare the relevant certification scheme when nominating barges

- German mandate compliant — of used cooking oil feedstock in line with § 37b of the "Bundes-Immissionsschutzgesetz" and "Biomasseverordnung"
- Netherlands double-counting eligible — qualified to count double under Netherlands renewable energy for transport laws and regulations
- UK double-counting eligible — qualified to count double under UK renewable energy for transport laws and regulations

**Assessment time:** 4:00pm to 4:30pm London time

**GHG savings:** 87.5pc greenhouse gas (GHG) savings, based on a fossil fuel comparator of 94g CO<sub>2</sub> equivalent/MJ

The material contained in each 1,000t barge need only meet the required GHG savings requirement on average, and multiple POS certificates may be attached such that they average to the required GHG savings requirement. All qualities included in a 1,000t barge must be derived from used cooking oil (UCO) feedstock and meet a minimum GHG savings of 84pc based on a fossil fuel comparator of 94g CO<sub>2</sub> equivalent/MJ.

**Proof of sustainability:** documentation of POS or sustainability declaration must be transferred between counterparties within 20 working days after bill of lading.

### RED UCO fob ARA range

Used cooking oil as defined by Harmonised System (HS) code 15180095. If the HS code 15180095 definition differs from the Argus specification listed below, the Argus specification takes precedence.

EU duty free or EU duty paid

**Currency/unit:** US dollars/tonne

**Timing:** barges loading 14-28 days forward of the day of assessment

**Location:** fob ARA range — including Antwerp, Rotterdam, Amsterdam, Dordrecht, Flushing and Ghent. Information about market activity on a delivered at place (dap) or free on truck (fot) basis may be considered for inclusion in the assessment.

**Size:** 500t, barge shipping tolerance of +/- 2pc at buyer's option

**Free fatty acids (FFA) as oleic:** maximum 5pc

**Moisture and impurities (MIU):** maximum 2pc

**Unsaponifiables:** maximum 1pc

**Ester content:** maximum 2pc

**Iodine value (IV):** minimum 75g iodine/hg

**Phosphorus content:** maximum 30ppm

**Sulphur content:** maximum 40ppm

**Polyethylene content:** maximum 50ppm

**Metals content:** maximum 75ppm

**Chloride content:** maximum 30ppm

**Wax content:** maximum 250ppm

Material must not be chemically modified

**Certificate of analysis:** product must be accompanied by a Certificate of Analysis from accredited inspectors generated a maximum of two working days before bill of lading

**Certification:** material must be accompanied with RED-compliant certification issued by a European Commission-approved auditing body. Material must be used cooking oil entirely of vegetable origin

**GHG savings:** material must be accompanied by sustainability declaration stating disaggregated default values or calculated actual values for greenhouse gas emissions including emissions from transport and distribution (ETD).

**Assessment time:** 4:00pm to 4:30pm London time

**ABP documentation:** material must be accompanied by commercial documentation demonstrating animal by-product category 3 classification as per Regulation (EC) No 1069/2009, 142/2011 and 2017/1261

**Proof of sustainability:** documentation of POS or sustainability declaration must be transferred between counterparties within 20 working days after bill of lading.

**Payment:** must be made within 5 calendar days after the bill of lading

### RED HVO fob ARA range (Class I)

Hydrotreated vegetable oil (HVO) meeting EN15940 specifications

If the EN15940 specification differs from the Argus specification listed below, the Argus specification takes precedence.

EU duty free or EU duty paid

**Feedstock:** RED-compliant food and feed crops

**Currency/unit:** US dollars/m<sup>3</sup>

Prices are assessed as a US dollar/m<sup>3</sup> premium to HVO-escalated 7-28 day Ice gasoil. Prices are also converted to a US dollar/t premium to HVO-escalated 7-28 day Ice gasoil and to outright US dollar/t prices for publication.

Market information priced as a US dollar/m<sup>3</sup> differential to another basis, including but not limited to HVO-escalated French diesel, will be converted to a differential to HVO-escalated 7-28 day Ice gasoil for consideration for inclusion in the assessment.

**HVO escalation:** HVO typically trades in volumetric terms and is less dense than diesel and gasoil. Accordingly, Argus adjusts the prices of the underlying diesel or gasoil contracts against which HVO trades to an assumed HVO-equivalent density of 0.78kg/l. For the purpose of this escalation, Argus assumes both French diesel and Ice gasoil to have a density of 0.845kg/l in a vacuum at 15°C.

**Timing:** loading 7-28 days forward of the day of the assessment

**Location:** fob ARA range — including Antwerp, Rotterdam, Amsterdam, Dordrecht, Flushing and Ghent

**Basis:** assessed as a differential to HVO-escalated 7-28 day Ice gasoil, calculated on the day of assessment as the average of settlement prices for the first or first and second forward month Ice gasoil contract, weighted by the number of Argus publishing days in the 7-28 day loading period and adjusted as described above.

**Size:** 1,000-2,000t, barge shipping tolerance of +/- 2pc at buyer's option

**Cold filter plugging point:** maximum -10°C

**Cloud point:** maximum -7°C

**Cetane number:** minimum 70

**Water content:** 350ppm

**Fatty acid methyl ester (FAME) content:** maximum 0.5pc

**Additives:** product must not contain additives with the exception of lubricity additives

**Certification:** material must be accompanied with RED-compliant certification issued by a European Commission-approved auditing body. In addition, material must be German mandate compliant, in line with § 37b of the "Bundes-Immissionsschutzgesetz" and "Biomasseverordnung" — and validated against Germany's biomass web application system Nabisy. Certificate of analysis (CoA), regardless of the intended destination of the barge, must include C14 analysis from accredited inspectors, with acceptable results aligned with requirements set out in the HVO framework published by the Dutch Emissions Authority (NEA).

**GHG savings:** minimum 60pc greenhouse gas savings, based on a fossil fuel comparator of 94g CO<sub>2</sub> equivalent/MJ

**Assessment time:** 4:30pm London time

**Proof of sustainability:** trades must be accompanied by non-palm oil proof of sustainability and must include only standard industry-acceptable proof of sustainability clauses (for example, those of BP and Shell) in compliance with the EU RED. Argus reserves the right to exclude from the assessment process trades accompanied by restrictive terms of Proof of Sustainability (POS). Documentation of POS or sustainability declaration must be transferred between counterparties within 20 working days after bill of lading.

### RED HVO fob ARA range (Class II)

Hydrotreated vegetable oil (HVO) meeting EN15940 specifications. If the EN15940 specification differs from the Argus specification listed below, the Argus specification takes precedence.

EU duty free or EU duty paid

**Feedstock:** RED-compliant used cooking oil

**Currency/unit:** US dollars/m<sup>3</sup>

Prices are assessed as a US dollar/m<sup>3</sup> premium to HVO-escalated 7-28 day Ice gasoil. Prices are also converted to a US dollar/t premium to HVO-escalated 7-28 day Ice gasoil and to outright US dollar/t and US dollar/m<sup>3</sup> prices for publication.

Market information priced as a US dollar/m<sup>3</sup> differential to another basis, including but not limited to HVO-escalated French diesel, will be converted to a differential to HVO-escalated 7-28 day Ice gasoil for consideration for inclusion in the assessment.

**HVO escalation:** HVO typically trades in volumetric terms and is less dense than diesel and gasoil. Accordingly, Argus adjusts the prices of the underlying diesel or gasoil contracts against which HVO trades to an assumed HVO-equivalent density of 0.78kg/l. For the purpose of this escalation, Argus assumes both French diesel and Ice gasoil to have a density of 0.845kg/l in a vacuum at 15°C.

**Timing:** loading 7-28 days forward of the day of the assessment

**Location:** fob ARA range — including Antwerp, Rotterdam, Amsterdam, Dordrecht, Flushing and Ghent

**Basis:** assessed as a differential to HVO-escalated 7-28 day Ice gasoil, calculated on the day of assessment as the average of settlement prices for the first or first and second forward month Ice

gasoil contract, weighted by the number of Argus publishing days in the 7-28 day loading period and adjusted as described above.

**Size:** 1,000-2,000t, barge shipping tolerance of +/- 2pc at buyer's option

**Cold filter plugging point:** maximum -10°C

**Cloud point:** maximum -7°C

**Cetane number:** minimum 70

**Water content:** 350ppm

**Fatty acid methyl ester (FAME) content:** maximum 0.5pc

**Additives:** product must not contain additives with the exception of lubricity additives

**Certification:** material must be accompanied with RED-compliant certification issued by a European Commission-approved auditing body. In addition, material must be German mandate compliant, in line with § 37b of the "Bundes-Immissionsschutzgesetz" and "Biomasseverordnung" — and validated against Germany's biomass web application system Nabisy. Certificate of analysis (CoA), regardless of the intended destination of the barge, must include C14 analysis from accredited inspectors, with acceptable results aligned with requirements set out in the HVO framework published by the Dutch Emissions Authority (NEA).

Sellers must be able to provide Netherlands double-counting certification — qualified to count double under Netherlands renewable energy for transport laws and regulations — and, in addition, buyers must declare this certification scheme when nominating barges.

**GHG savings:** minimum 85pc greenhouse gas savings, based on a fossil fuel comparator of 94g CO<sub>2</sub> equivalent/MJ

**Assessment time:** 4:30pm London time

**Proof of sustainability:** trades must be accompanied by proof of sustainability and must include only standard industry-acceptable proof of sustainability clauses (for example, those of BP and Shell) in compliance with the EU RED. Argus reserves the right to exclude from the assessment process trades accompanied by restrictive terms of Proof of Sustainability (POS). Documentation of POS or sustainability declaration must be transferred between counterparties within 20 working days after bill of lading.

### RED HVO fob ARA range (Class III)

Hydrotreated vegetable oil (HVO) meeting EN15940 specifications. If the EN15940 specification differs from the Argus specification listed below, the Argus specification takes precedence.

EU duty free or EU duty paid

**Feedstock:** RED-compliant tallow (category 3)

**Currency/unit:** US dollar/m<sup>3</sup>

Prices are assessed as a US dollar/m<sup>3</sup> premium to HVO-escalated 7-28 day Ice gasoil. Prices are also converted to a US dollar/t premium to HVO-escalated 7-28 day Ice gasoil and to outright US dollar/t prices for publication.

Market information priced as a US dollar/m<sup>3</sup> differential to another basis, including but not limited to HVO-escalated French diesel, will be converted to a differential to HVO-escalated 7-28 day Ice gasoil for consideration for inclusion in the assessment.

**HVO escalation:** HVO typically trades in volumetric terms and is less dense than diesel and gasoil. Accordingly, Argus adjusts the prices of the underlying diesel or gasoil contracts against which HVO trades to an assumed HVO-equivalent density of 0.78kg/l. For the purpose of this escalation, Argus assumes both French diesel and Ice gasoil to have a density of 0.845kg/l in a vacuum at 15°C.

**Timing:** loading 7-28 days forward of the day of the assessment



**Location:** fob ARA range — including Antwerp, Rotterdam, Amsterdam, Dordrecht, Flushing and Ghent

**Basis:** assessed as a differential to HVO-escalated 7-28 day Ice gasoil, calculated on the day of assessment as the average of settlement prices for the first or first and second forward month Ice gasoil contract, weighted by the number of Argus publishing days in the 7-28 day loading period and adjusted as described above.

**Size:** 1,000-2,000t, barge shipping tolerance of +/- 2pc at buyer's option

**Cold filter plugging point:** maximum -10°C

**Cloud point:** maximum -7°C

**Cetane number:** minimum 70

**Water content:** 350ppm

**Fatty acid methyl ester (FAME) content:** maximum 0.5pc

**Additives:** product must not contain additives with the exception of lubricity additives

**Certification:** material must be accompanied with RED-compliant certification issued by a European Commission-approved auditing body. Certificate of analysis (CoA), regardless of the intended destination of the barge, must include C14 analysis from accredited inspectors, with acceptable results aligned with requirements set out in the HVO framework published by the Dutch Emissions Authority (NEA).

**GHG savings:** minimum 82pc greenhouse gas savings, based on a fossil fuel comparator of 94g CO<sub>2</sub> equivalent/MJ

**Assessment time:** 4:30pm London time

**Proof of sustainability:** trades must be accompanied by proof of sustainability and must include only standard industry-acceptable proof of sustainability clauses (for example, those of BP and Shell) in compliance with the EU RED. Argus reserves the right to exclude from the assessment process trades accompanied by restrictive terms of Proof of Sustainability (POS). Documentation of POS or sustainability declaration must be transferred between counterparties within 20 working days after bill of lading.

### RED HVO fob ARA range (Class IV)

Hydrotreated vegetable oil (HVO) meeting EN15940 specifications. If the EN15940 specification differs from the Argus specification listed below, the Argus specification takes precedence.

EU duty free or EU duty paid

**Feedstock:** RED-compliant palm oil mill effluent (POME) oil

**Currency/unit:** US dollars/m<sup>3</sup>

Prices are assessed as a US dollar/m<sup>3</sup> premium to HVO-escalated 7-28 day Ice gasoil. Prices are also converted to a US dollar/t premium to HVO-escalated 7-28 day Ice gasoil and to outright US dollar/t prices for publication.

Market information priced as a US dollar/m<sup>3</sup> differential to another basis, including but not limited to HVO-escalated French diesel, will be converted to a differential to HVO-escalated 7-28 day Ice gasoil for consideration for inclusion in the assessment.

**HVO escalation:** HVO typically trades in volumetric terms and is less dense than diesel and gasoil. Accordingly, Argus adjusts the prices of the underlying diesel or gasoil contracts against which HVO trades to an assumed HVO-equivalent density of 0.78kg/l. For the purpose of this escalation, Argus assumes both French diesel and Ice gasoil to have a density of 0.845kg/l in a vacuum at 15°C.

**Timing:** loading 7-28 days forward of the day of the assessment

**Location:** fob ARA range — including Antwerp, Rotterdam, Amsterdam, Dordrecht, Flushing and Ghent

**Basis:** assessed as a differential to HVO-escalated 7-28 day Ice gasoil, calculated on the day of assessment as the average of settlement prices for the first or first and second forward month Ice gasoil contract, weighted by the number of Argus publishing days in the 7-28 day loading period and adjusted as described above.

**Size:** 1,000-2,000t, barge shipping tolerance of +/- 2pc at buyer's option

**Cold filter plugging point:** maximum -10°C

**Cloud point:** maximum -7°C

**Cetane number:** minimum 70

**Water content:** 350ppm

**Fatty acid methyl ester (FAME) content:** maximum 0.5pc

**Additives:** product must not contain additives with the exception of lubricity additives

**Certification:** material must be accompanied with RED-compliant certification issued by a European Commission-approved auditing body. In addition, material must be German mandate compliant, in line with § 37b of the "Bundes-Immissionsschutzgesetz" and "Biomasseverordnung" — and validated against Germany's biomass web application system Nabisy. Certificate of analysis (CoA), regardless of the intended destination of the barge, must include C14 analysis from accredited inspectors, with acceptable results aligned with requirements set out in the HVO framework published by the Dutch Emissions Authority (NEA).

Sellers must be able to provide Netherlands double-counting certification — qualified to count double under Netherlands renewable energy for transport laws and regulations — and, in addition, buyers must declare this certification scheme when nominating barges.

**GHG savings:** minimum 85pc greenhouse gas savings, based on a fossil fuel comparator of 94g CO<sub>2</sub> equivalent/MJ

**Assessment time:** 4:30pm London time

**Proof of sustainability:** trades must be accompanied by proof of sustainability and must include only standard industry-acceptable proof of sustainability clauses (for example, those of BP and Shell) in compliance with the EU RED. Argus reserves the right to exclude from the assessment process trades accompanied by restrictive terms of Proof of Sustainability (POS). Documentation of POS or sustainability declaration must be transferred between counterparties within 20 working days after bill of lading.

### Asia-Pacific

#### RED UCOME fob China bulk

Used cooking oil methyl ester meeting EN14214

If the EN14214 specification differs from the Argus specification listed below, the Argus specification takes precedence.

**Currency/unit:** US dollars/tonne

**Timing:** loading 30-45 days forward of the day of assessment

**Location:** fob China (Tianjin, Tangshan, Lianyungang, Nantong, Taizhou, Jiangyin, Zhangjiagang, Xiamen, Huangpu, Nansha, Zhuhai, Fangchenggang)

**Size:** 2,500-5,000t

**Cold filter plugging point:** maximum 5°C

**Water content:** maximum 400ppm

**Oxidation stability:** no requirement

**Certification:** material must be accompanied with RED-compliant certification issued by European Commission-authorized body. Sellers must be able to provide all the below certification criteria and, in addition, buyers must declare the relevant certification scheme before loading:

- German mandate compliant — of used cooking oil feedstock in line with § 37b of the “Bundes-Immissionsschutzgesetz” and “Biomasseverordnung”
- Netherlands double-counting eligible — qualified to count double under Netherlands renewable energy for transport laws and regulations
- UK double-counting eligible — qualified to count double under UK renewable energy for transport laws and regulations

**GHG savings:** 87.5pc greenhouse gas savings, based on a fossil fuel comparator of 94g CO2 equivalent/MJ. The material contained in each cargo need only meet the required GHG savings requirement on average, and multiple POS certificates may be attached such that they average to the required GHG savings requirement. All qualities included must be derived from used cooking oil (UCO) feedstock and meet a minimum default GHG savings of 84pc based on a fossil fuel comparator of 94g CO2 equivalent/MJ.

**Assessment time:** 4:00-4:30pm Singapore time

**Terms and conditions:** trades are conducted under standard industry-acceptable terms and conditions (for example those of BP, Shell and TotalEnergies) or other pre-agreed terms and conditions.

**Proof of sustainability:** trades must include only standard industry-acceptable proof of sustainability clauses (for example, those of BP and Shell) in compliance with the EU RED and must be delivered no later than 30 days after bill of lading. Argus reserves the right to exclude from the assessment process trades accompanied by restrictive terms of Proof of Sustainability (POS).

**Payment:** must be made within 5 calendar days after the bill of lading upon receipt of:

- 3/3 bill of lading, or Letter of Indemnity countersigned by first class bank
- Invoice
- Quality and Quantity documentation
- Certificate of origin showing China origin
- Sustainability documents

Sustainability documents can be provided after payment if mutually agreed by the counterparties but must be provided within the time limits set by the appropriate European government body or European Commission-approved auditing body.

### RED UCOME fob strait of Malacca bulk

Used cooking oil methyl ester meeting EN14214

If the EN14214 specification differs from the Argus specification listed below, the Argus specification takes precedence.

**Currency/unit:** US dollars/tonne

**Timing:** loading 30-45 days forward of the day of assessment

**Location:** fob Port Klang, Pasir Gudang, Tanjung Langsat, Singapore

**Size:** 2,500-5,000t

**Cold filter plugging point:** maximum 12°C

**Water content:** maximum 400ppm

**Oxidation stability:** no requirement

**Certification:** material must be accompanied with RED-compliant cer-

tification issued by a European Commission-approved auditing body. Sellers must be able to provide all the below certification criteria and, in addition, buyers must declare the relevant certification scheme before loading:

- German mandate compliant (registered Nabisy) — of used cooking oil feedstock in line with § 37b of the “Bundes-Immissionsschutzgesetz” and “Biomasseverordnung”
- Netherlands double-counting eligible — qualified to count double under Netherlands renewable energy for transport laws and regulations
- UK double-counting eligible — qualified to count double under UK renewable energy for transport laws and regulations

**GHG savings:** minimum 87.5pc greenhouse gas (GHG) savings, based on a fossil fuel comparator of 94g CO2 equivalent/MJ. The material contained in each cargo need only meet the required GHG savings requirement on average, and multiple POS certificates may be attached such that they average to the required GHG savings requirement. All qualities included must be derived from used cooking oil (UCO) feedstock and meet a minimum GHG savings of 84pc based on a fossil fuel comparator of 94g CO2 equivalent/MJ.

**Assessment time:** 4:00-4:30pm Singapore time

**Terms and conditions:** trades are conducted under standard industry-acceptable terms and conditions (for example those of BP, Shell and Total) or other pre-agreed terms and conditions.

**Proof of sustainability:** trades must include only standard industry-acceptable proof of sustainability clauses (for example, those of BP and Shell) in compliance with the EU RED and must be delivered no later than 30 days after bill of lading. Argus reserves the right to exclude from the assessment process trades accompanied by restrictive terms of Proof of Sustainability (POS).

**Payment:** must be made within 5 calendar days after the bill of lading upon receipt of:

- 3/3 bill of lading, or Letter of Indemnity countersigned by first class bank
- Invoice
- Quality and Quantity documentation
- Certificate of origin
- Sustainability documents

Sustainability documents can be provided after payment if mutually agreed by the counterparties but must be provided within the time limits set by the appropriate European government body or European Commission-approved auditing body.

### UCO fob China bulk

Used cooking oil as defined by Harmonised System (HS) code 151800. If the HS code 151800 definition differs from the Argus specification listed below, the Argus specification takes precedence.

**Currency/unit:** US dollars/tonne

**Timing:** loading 30-45 days forward of the day of assessment

**Location:** fob China (Tianjin, Tangshan, Lianyungang, Nantong, Taizhou, Jiangyin, Zhangjiagang, Xiamen, Huangpu, Nansha, Zhuhai, Fangchenggang)

**Size:** 2,500-5,000t

**Total fatty matter:** minimum 98pc

**Free fatty acids (FFA):** maximum 7pc

**Moisture and impurities (MIU):** maximum 2pc

**Moisture:** maximum 1pc

**Unsaponifiables:** maximum 1pc

**Ester content:** maximum 1pc

**Iodine value (IV):** minimum 80g iodine/hg

**Phosphorous content:** maximum 50ppm

**Sulphur content:** maximum 50ppm

**Wax content:** maximum 250ppm

**Certification:** material must be accompanied with RED-compliant certification issued by a European Commission-approved auditing body. Material must be used cooking oil entirely of vegetable origin.

**Assessment time:** 4:00-4:30pm Singapore time

**Payment:** must be made within 5 calendar days after the bill of lading upon receipt of:

- 3/3 bill of lading, or Letter of Indemnity countersigned by first class bank
- Invoice
- Quality and Quantity documentation
- Certificate of origin showing China origin
- Sustainability documents
- Annex VII under the EU regulation 1013/2006 on shipments of waste

Sustainability documents can be provided after payment if mutually agreed by the counterparties but must be provided within the time limits set by the appropriate European government body or European Commission-approved auditing body.

### Premium UCO fob China bulk

Used cooking oil as defined by Harmonised System (HS) code 151800. If the HS code 151800 definition differs from the Argus specification listed below, the Argus specification takes precedence.

**Currency/unit:** US dollars/tonne

**Timing:** loading 30-45days forward of the day of assessment

**Location:** fob China (Tianjin, Tangshan, Lianyungang, Nantong, Taizhou, Jiangyin, Zhangjiagang, Xiamen, Huangpu, Nansha, Zhuhai, Fangchenggang)

**Size:** 2,500-5,000t

**Total fatty matter:** minimum 98pc

**Free fatty acids (FFA):** maximum 7pc

**Moisture and impurities (MIU):** maximum 1pc

**Unsaponifiables:** maximum 1pc

**Ester content:** maximum 1pc

**Metals content:** maximum 50ppm

**Chloride content:** maximum 50ppm

**Phosphorous content:** maximum 30ppm

**Sulphur content:** maximum 50ppm

**Wax content:** maximum 250ppm

**Certification:** material must be accompanied with RED-compliant certification issued by a European Commission-approved auditing body. Material must be used cooking oil entirely of vegetable origin.

**Assessment time:** 4:00-4:30pm Singapore time

**Payment:** must be made within 5 calendar days after the bill of lading upon receipt of:

- 3/3 bill of lading, or Letter of Indemnity countersigned by first class bank
- Invoice
- Quality and Quantity documentation
- Certificate of origin showing China origin

- Sustainability documents

- Annex VII under the EU regulation 1013/2006 on shipments of waste

Sustainability documents can be provided after payment if mutually agreed by the counterparties but must be provided within the time limits set by the appropriate European government body or European Commission-approved auditing body.

### UCO fob strait of Malacca bulk

Used cooking oil as defined by Harmonised System (HS) code 151800. If the HS code 151800 definition differs from the Argus specification listed below, the Argus specification takes precedence.

**Currency/unit:** US dollars/tonne

**Timing:** loading 30-45 days forward of the day of assessment

**Location:** fob Port Klang, Pasir Gudang, Tanjung Langsat, Singapore

**Size:** 2,500-5,000t

**Total fatty matter:** minimum 98pc

**Free fatty acids (FFA):** maximum 5pc

**Moisture and impurities (MIU):** maximum 2pc

**Moisture:** maximum 1pc

**Unsaponifiables:** maximum 1pc

**Ester content:** maximum 1pc

**Iodine value (IV):** minimum 50g iodine/hg

**Phosphorous content:** maximum 50ppm

**Sulphur content:** maximum 50ppm

**Wax content:** maximum 250ppm

**Certification:** material must be accompanied with RED-compliant certification issued by a European Commission-approved auditing body. Material must be used cooking oil entirely of vegetable origin.

**Assessment time:** 4:00-4:30pm Singapore time

**Payment:** must be made within 5 calendar days after the bill of lading upon receipt of:

- 3/3 bill of lading, or Letter of Indemnity countersigned by first class bank
- Invoice
- Quality and Quantity documentation
- Certificate of origin issued by relevant authorities
- Sustainability documents
- Annex VII under the EU regulation 1013/2006 on shipments of waste

Sustainability documents can be provided after payment if mutually agreed by the counterparties but must be provided within the time limits set by the appropriate European government body or European Commission-approved auditing body.

**Spot price assessments**

**Europe biofuels**

**RED Palm OME fob ARA range**

Palm oil methyl ester meeting EN14214 specifications  
If the EN14214 specification differs from the Argus specification listed below, the Argus specification takes precedence.

EU duty free or EU duty paid

**Currency/unit:** US dollars/tonne

**Timing:** loading 7-28 days forward of the day of assessment

**Location:** fob ARA range — including Antwerp, Rotterdam, Amsterdam, Dordrecht, Flushing and Ghent

**Basis:** assessed as a differential to 7-28 day Ice gasoil, calculated on the day of assessment as the average of settlement prices for the first or first and second forward month Ice gasoil contract, weighted by the number of Argus publishing days in the 7-28 day loading period

**Size:** 1,000t

**Cold filter plugging point:** 15°C

**Certification:** material must be accompanied with RED-compliant certification issued by European Commission-approved auditing body

**GHG savings:** biodiesel from installations that started operations after 5 October 2015 must have a minimum of 60pc greenhouse gas savings, based on a fossil fuel comparator of 94g CO2 equivalent/MJ.

**Assessment time:** 4:00pm to 4:30pm London time

**RED Soya OME fob ARA range**

Soya oil methyl ester meeting EN14214 specifications  
If the EN14214 specification differs from the Argus specification listed below, the Argus specification takes precedence.

EU duty free or EU duty paid

**Currency/unit:** US dollars/tonne

**Timing:** loading 7-28 days forward of the day of assessment

**Location:** fob ARA range — including Antwerp, Rotterdam, Amsterdam, Dordrecht, Flushing and Ghent

**Basis:** assessed as a differential to 7-28 day Ice gasoil, calculated on the day of assessment as the average of settlement prices for the first or first and second forward month Ice gasoil contract, weighted by the number of Argus publishing days in the 7-28 day loading period

**Size:** 1,000t

**Cold filter plugging point:** -4°C

**Certification:** material must be accompanied with RED-compliant certification issued by European Commission-approved auditing body.

**GHG savings:** biodiesel from installations that started operations after 5 October 2015 must have a minimum of 60pc greenhouse gas savings, based on a fossil fuel comparator of 94g CO2 equivalent/MJ.

**Assessment time:** 4:00pm to 4:30pm London time

**RED Fame -10°C CFPP fob ARA range**

Fatty acid methyl ester meeting EN14214 specifications  
If the EN14214 specification differs from the Argus specification listed below, the Argus specification takes precedence.

Calculated as the sum of 10pc of the Argus assessment of FAME 0°C CFPP fob ARA range and 90pc of the Argus assessment of RED rapeseed OME fob ARA range.

EU duty free or EU duty paid

**Currency/unit:** US dollars/tonne

**Timing:** loading 7-28 days forward of the day of assessment

**Location:** fob ARA range — including Antwerp, Rotterdam, Amsterdam, Dordrecht, Flushing and Ghent

**Basis:** assessed as a differential to 7-28 day Ice gasoil, calculated on the day of assessment as the average of settlement prices for the first or first and second forward month Ice gasoil contract, weighted by the number of Argus publishing days in the 7-28 day loading period

**Size:** 1,000t

**Cold filter plugging point:** -10°C

**Certification:** material must be accompanied with RED-compliant certification issued by European Commission-authorized body

**GHG savings:** 60pc greenhouse gas savings, based on a fossil fuel comparator of 94g CO2 equivalent/MJ

**Assessment time:** 4:00pm to 4:30pm London time

**RED Tallow OME fob ARA range**

Tallow methyl ester meeting EN14214  
If the EN14214 specification differs from the Argus specification listed below, the Argus specification takes precedence.

EU duty free or EU duty paid

**Currency/unit:** US dollars/tonne

**Timing:** loading 7-28 days forward of the day of assessment

**Location:** fob ARA range — including Antwerp, Rotterdam, Amsterdam, Dordrecht, Flushing and Ghent

**Size:** 1,000t

**Cold filter plugging point:** 12-13°C

**Water content:** maximum 350ppm

**Certification:** material must be accompanied with RED-compliant certification issued by a European Commission-approved auditing body

**GHG savings:** minimum 78pc greenhouse gas savings, based on a fossil fuel comparator of 94g CO2 equivalent/MJ

**Assessment time:** 4:00pm to 4:30pm London time

**RED Advanced Fame 0°C CFPP fob ARA range**

Fatty acid methyl ester meeting EN14214 specifications  
If the EN14214 specification differs from the Argus specification listed below, the Argus specification takes precedence.

EU duty free or EU duty paid

**Feedstock:** RED-compliant Annex IX Part A feedstocks excluding palm oil mill effluent (POME) oil

**Currency/unit:** US dollars/tonne

**Timing:** loading 7-28 days forward of the day of assessment

**Location:** fob ARA range — including Antwerp, Rotterdam, Amsterdam, Dordrecht, Flushing and Ghent

**Basis:** assessed as a differential to 7-28 day Ice gasoil, calculated on the day of assessment as the average of settlement prices for the first or first and second forward month Ice gasoil contract, weighted by the number of Argus publishing days in the 7-28 day loading period

**Size:** 1,000t

**Cold filter plugging point:** 0°C

**Certification:** material must be accompanied with RED-compliant certification issued by European Commission-approved auditing body

**GHG savings:** minimum 84pc greenhouse gas savings, based on a fossil fuel comparator of 94g CO2 equivalent/MJ

**Assessment time:** 4:00pm to 4:30pm London time

**Proof of sustainability:** trades must be accompanied by non-palm oil mill effluent proof of sustainability

### RED POME OME fob ARA range

Palm oil mill effluent (POME) oil methyl ester meeting EN14214 specifications

If the EN14214 specification differs from the Argus specification listed below, the Argus specification takes precedence.

EU duty free or EU duty paid

**Feedstock:** RED-compliant POME oil

**Currency/unit:** US dollars/tonne

**Timing:** loading 7-28 days forward of the day of assessment

**Location:** fob ARA range — including Antwerp, Rotterdam, Amsterdam, Dordrecht, Flushing and Ghent

**Basis:** assessed as a differential to 7-28 day Ice gasoil, calculated on the day of assessment as the average of settlement prices for the first or first and second forward month Ice gasoil contract, weighted by the number of Argus publishing days in the 7-28 day loading period

**Size:** 1,000t

**Cold filter plugging point:** 10°C

**Certification:** material must be accompanied with RED-compliant certification issued by European Commission-approved auditing body

**GHG savings:** minimum 80pc greenhouse gas savings, based on a fossil fuel comparator of 94g CO<sub>2</sub>equivalent/MJ

**Assessment time:** 4:00pm to 4:30pm London time

### Bionaphtha fob ARA range

EU duty free or EU duty paid

**Feedstock:** RED-compliant used cooking oil

**Currency/unit:** US dollars/tonne, a US dollar/m<sup>3</sup> conversion is published assuming 1m<sup>3</sup> = 0.69t

**Timing:** loading 7-28 days forward of the day of assessment

**Location:** fob ARA range — including Antwerp, Rotterdam, Amsterdam, Dordrecht, Flushing and Ghent

**Size:** 1,000-2,000t

**Certification:** material must be accompanied with RED-compliant

#### Bionaphtha fob ARA range specifications

Density	kg/l	0.69
Vapour pressure	PSI	Max 12.5
Colour	Saybolt	Min plus 20
Lead	PPB	Max 50
Sulphur	PPM	Max 30
IBP	°C	Min 30
FBP	°C	Max 180
Paraffins	% vol	Min 65
Olefins	% vol	Max 1
Naphthenes	% vol	To be reported
Aromatics	% vol	To be reported
Total chlorines	PPM	Max 10
MTBE	PPM	Max 50
Hydrogen sulphide	PPM	Max 10
Mercaptans	PPM	To be reported
Mercury	PPB	Max 5
Total oxygenate content	PPM	Max 100
Octanes	Ron	Max 55
Benzene	% vol	Max 1

certification or certification for markets and sectors not regulated by RED including chemical and energy markets — such as ISCC Plus — issued by a European Commission-approved auditing body

**GHG savings:** minimum 87pc greenhouse gas (GHG) savings, based on a fossil fuel comparator of 94g CO<sub>2</sub> equivalent/MJ

**Assessment time:** 4:30pm London time

### Europe feedstocks

#### Crude rapeseed oil

Fob Dutch Mill

EU duty free or EU duty paid

**Currency/unit:** euros/tonne

**Timing:** price assessments are published for prompt loading, and for loading during a named three-month forward period. Prompt assessments are for loading 5-40 days forward of the day of assessment.

Prices for forward periods are for the named three-month period:

- February, March, April (FMA)
- May, June, July (MJJ)
- August, September, October (ASO)
- November, December, January (NDJ)

Price assessments for the first three forward three-month periods are published. Forward periods roll on the first working day of the three-month period.

For example, on 15 May, prices are published for the August, September, October (ASO), November, December, January (NDJ) and February, March, April (FMA) contracts. On 1 August, prices are published for November, December, January (NDJ), February, March, April (FMA) and May, June, July (MJJ) contracts.

**Size:** minimum 100t

**Assessment time:** 12:30pm-4:30pm UK time

#### Crude sunflower oil (SFO)

Fob northwest Europe ("fob 6 ports") for delivery during the first forward quarter. See the [Argus AgriMarkets methodology](#).

#### UCO cif ARA

Used cooking oil

EU duty unpaid

**Currency/unit:** US dollars/tonne

**Timing:** delivery 30-45 days forward of the day of assessment

**Location:** cif ARA

**Parcel size:** 500-1,000t

**Free fatty acids (FFA):** 5pc

**Moisture and impurities (MIU):** maximum 2pc

**Iodine value (IV):** minimum 80g iodine/hg

**Sulphur content:** maximum 50ppm

**Certification:** material must be accompanied with RED-compliant certification issued by European Commission-authorized body

**Assessment time:** 4:30pm London time

#### UCO ex-works ARA range

Used cooking oil

EU duty free or EU duty paid

**Currency/unit:** euros/tonne

**Timing:** loading 30-45 days forward of the day of assessment

**Location:** ex-works ARA range — including Antwerp, Rotterdam,



Amsterdam, Dordrecht, Flushing and Ghent

**Parcel size:** 100-500t

**Free fatty acids (FFA):** 5pc

**Moisture and impurities (MIU):** maximum 2pc

**Iodine value (IV):** minimum 70g iodine/hg

**Sulphur content:** maximum 50ppm

**Certification:** material must be accompanied with RED-compliant certification issued by European Commission-authorized body

**Assessment time:** 4:30pm London time

### Tallow (categories 1 and 2) fca northwest Europe

Animal fats derived from category 1 and category 2 materials as per Regulation (EC) No 1069/2009 (Article 3, No 19) and 142/2011. If the (EC) No 1069/2009 and 142/2011 specifications differ from the Argus specification listed below, the Argus specification takes precedence. EU duty free or EU duty paid

**Currency/unit:** euros/tonne

**Timing:** delivery 30-45 days forward of the day of assessment

**Location:** fca northwest Europe

**Parcel size:** 100-1,000t

**Free fatty acids (FFA):** 20pc

**Moisture and impurities (MIU):** maximum 1pc

**Certification:** material must be accompanied with RED-compliant certification issued by European Commission-authorized body

**Assessment time:** 4:30pm London time

### Tallow (category 3) fca northwest Europe

Animal fats derived from category 3 materials as per Regulation (EC) No 1069/2009 (Article 3, No 19) and 142/2011. If the (EC) No 1069/2009 and 142/2011 specifications differ from the Argus specification listed below, the Argus specification takes precedence. EU duty free or EU duty paid

**Currency/unit:** euros/tonne

**Timing:** delivery 30-45 days forward of the day of assessment

**Location:** fca northwest Europe

**Parcel size:** 100-1,000t

**Free fatty acids (FFA):** maximum 5pc

**Moisture and impurities (MIU):** maximum 2pc

**Certification:** material must be accompanied with RED-compliant certification issued by European Commission-authorized body

**Assessment time:** 4:30pm London time

### POME oil cif ARA

Palm oil mill effluent (POME) oil

EU duty unpaid

**Currency/unit:** US dollars/tonne

**Timing:** delivery 30-45 days forward of the day of assessment

**Location:** cif ARA

**Size:** 2,000-5,000t

**Total fatty matter (TFM):** minimum 95pc

**Free fatty acids (FFA):** minimum 50pc

**Moisture and impurities (MIU):** maximum 3pc

**Certification:** material must be accompanied with RED-compliant certification issued by European Commission-authorized body

**Assessment time:** 4:30pm London time

## Asia-Pacific biofuels

### RED PME fob Malaysia

Palm oil methyl ester meeting European EN14214

**Currency/unit:** US dollars/tonne

**Timing:** cargoes loading 2-6 weeks forward of the day of assessment

**Location:** fob Malaysia (Port Klang/Pasir Gudang)

**Size:** assessments are standardised to cargoes of 2,000-10,000t

**Cold filter plugging point:** 15°C

**Certification:** material must be accompanied with RED-compliant certification issued by European Commission-authorized body

**Assessment time:** 4:30pm Singapore time

### RED PME fob Indonesia

Palm oil methyl ester meeting European EN14214

**Currency/unit:** US dollars/tonne

**Timing:** cargoes loading 2-6 weeks forward of the day of assessment

**Location:** fob Indonesia (Port Dumai)

**Size:** assessments are standardised to cargoes of 2,000-40,000t

**Cold filter plugging point:** 15°C

**Certification:** material must be accompanied with RED-compliant certification issued by European Commission-authorized body

**Assessment time:** 4:30pm Singapore time

### PME ex-works Indonesia

Palm oil methyl ester meeting SNI 7182-2015 specifications.

**Currency/unit:** US dollars/tonne

**Timing:** loading 30-45 days forward of the day of assessment

**Location:** ex-works Dumai/Belawan

**Size:** 3,000-5,000t

**Cold filter plugging point:** 15°C

**Assessment time:** 4:30pm Singapore time

### RED HVO (Class I) fob Singapore netback

Calculated as the RED HVO fob ARA range (Class I) assessment less the weekly Singapore to ARA region HVO freight assessment.

### RED HVO (Class II) fob Singapore netback

Calculated as the RED HVO fob ARA range (Class II) assessment less the weekly Singapore to ARA region HVO freight assessment.

### RED HVO (Class III) fob Singapore netback

Calculated as the RED HVO fob ARA range (Class III) assessment less the weekly Singapore to ARA region HVO freight assessment.

### RED HVO (Class IV) fob Singapore netback

Calculated as the RED HVO fob ARA range (Class IV) assessment less the weekly Singapore to ARA region HVO freight assessment.

### RED HVO fob China (Class II)

Hydrotreated vegetable oil (HVO) meeting EN15940 specifications. If the EN15940 specification differs from the Argus specification listed below, the Argus specification takes precedence.

**Feedstock:** RED-compliant used cooking oil

**Currency/unit:** US dollars/tonne

**Timing:** loading 30-45 days forward of the day of assessment

**Location:** fob China

**Size:** assessments are standardised to cargoes of 3,000-5,000t

**Cold filter plugging point:** maximum -10°C

**Cloud Point:** maximum -7°C

**Water content:** 200ppm

**Lubricity HFRR at 60°C:** maximum 600µm

**Biogenic carbon by C14:** minimum 97pc

**Certification:** material must be accompanied with RED-compliant certification issued by a European Commission-approved auditing body

**GHG savings:** minimum 85pc greenhouse gas savings, based on a fossil fuel comparator of 94g CO<sub>2</sub> equivalent/MJ

**Assessment time:** 4:30pm Singapore time

### RED HVO fob China (Class IV)

Hydrotreated vegetable oil (HVO) meeting EN15940 specifications

If the EN15940 specification differs from the Argus specification listed below, the Argus specification takes precedence.

**Feedstock:** RED-compliant palm oil mill effluent (POME) oil

**Currency/unit:** US dollars/tonne

**Timing:** loading 30-45 days forward of the day of assessment

**Location:** fob China

**Size:** assessments are standardised to cargoes of 3,000-5,000t

**Cold filter plugging point:** maximum -10°C

**Cloud Point:** maximum -7°C

**Water content:** 200ppm

**Lubricity HFRR at 60°C:** maximum 660µm

**Biogenic carbon by C14 analysis:** minimum 97pc

**Certification:** material must be accompanied with RED-compliant certification issued by a European Commission-approved auditing body

**GHG savings:** minimum 85pc greenhouse gas (GHG) savings, based on a fossil fuel comparator of 94g CO<sub>2</sub> equivalent/MJ

**Assessment time:** 4:30pm Singapore time

### RED brown grease methyl ester fob China

Brown grease methyl ester meeting EN14214

**Currency/unit:** US dollars/tonne

**Timing:** loading 30-45 days forward of the day of assessment

**Location:** fob China

**Size:** 3,000-5,000t

**Water content:** maximum 350ppm

**Cold filter plugging point:** maximum 5°C

**GHG savings:** default 87.5pc

**Certification:** material must be accompanied with RED-compliant certification issued by European Commission-authorized body

**Assessment time:** 4:30pm Singapore time

### RED POME OME fob China bulk

Palm oil mill effluent (POME) oil methyl ester meeting EN14214 specifications

If the EN14214 specification differs from the Argus specification listed below, the Argus specification takes precedence.

**Feedstock:** RED-compliant POME oil

**Currency/unit:** US dollars/tonne

**Timing:** loading 30-45 days forward of the day of assessment

**Location:** fob China

**Size:** 2,500-5,000t

**Water content:** maximum 400 ppm

**Cold filter plugging point:** maximum 13°C

**GHG savings:** minimum 80pc greenhouse gas (GHG) savings, based on a fossil fuel comparator of 94g CO<sub>2</sub> equivalent/MJ

**Certification:** material must be accompanied with RED-compliant certification issued by a European Commission-approved auditing body

**Assessment time:** 4:30pm Singapore time

### Bionaphtha cfr northeast Asia

**Currency/unit:** US dollars/tonne

**Timing:** delivery 30-60 days forward of the day of assessment

**Location:** cfr northeast Asia (South Korea/Japan)

**Size:** assessments are standardised to cargoes of 3,000-5,000t

**Certification:** material must be accompanied by ISCC Plus or similar certification

**Assessment time:** 4:30pm Singapore time

#### Bionaphtha cfr northeast Asia specifications

Density	kg/l	0.69
Vapour pressure	PSI	Max 13
Colour	Saybolt	Min plus 20
Lead	PPB	Max 150
Sulphur	PPM	Max 650
IBP	°C	Min 25
FBP	°C	Max 204
Paraffins	% vol	Min 85
Olefins	% vol	Max 1
Total chlorines	PPM	Max 1
Mercury	PPB	Max 1
Total oxygenate content	PPM	Max 50
N-Paraffins	% vol	Min 30
Arsenic	PPB	Max 20

### Asia-Pacific feedstocks

#### UCO fob China

Used cooking oil

**Currency/unit:** US dollars/tonne

**Timing:** loading 30-45 days forward of the day of assessment

**Location:** fob China

**Size:** 500-1,000t

**Free fatty acids (FFA):** maximum 7pc

**Moisture and impurities (MIU):** maximum 2pc

**Iodine value (IV):** minimum 80g iodine/hg

**Sulphur content:** maximum 50ppm

**Certification:** material must be accompanied with RED-compliant certification issued by a European Commission-approved auditing body

**Assessment time:** 4:30pm Singapore time

#### UCO dap China

Used cooking oil (including VAT)

**Currency/unit:** Chinese yuan/tonne and converted to US dollars/tonne

**Timing:** loading 10-30 days forward of the day of assessment

**Location:** dap China

**Size:** 200-2,000t

**Free fatty acids (FFA):** maximum 7pc

**Moisture and impurities (MIU):** maximum 2pc

**Iodine value (IV):** minimum 80g iodine/hg

**Sulphur content:** maximum 50ppm

**Certification:** material must be accompanied with RED-compliant certification issued by a European Commission-approved auditing body

**Assessment time:** 4:30pm Singapore time

#### EPA-compliant UCO fob China bulk

Used cooking oil as defined by Harmonised System (HS) code 151800. If the HS code 151800 definition differs from the Argus specification listed below, the Argus specification takes precedence.

**Currency/unit:** US dollars/tonne

**Timing:** loading 30-45 days forward of the day of assessment

**Location:** fob China (Tianjin, Tangshan, Lianyungang, Nantong, Taizhou, Jiangyin, Zhangjiagang, Xiamen, Huangpu, Nansha, Zhuhai, Fangchenggang)

**Size:** 2,500-5,000t

**Free fatty acids (FFA):** maximum 15pc

**Moisture, impurities and unsaponifiable (MIU):** maximum 2pc

**Certification:** material must comply with US Environmental Protection Agency (EPA) requirements. Records demonstrating the traceability of the UCO must be provided to the buyer upon sale of product or stored on the buyer's behalf within an EPA-compliant recordkeeping platform. Material to be accompanied by a health veterinary certificate issued by an official government body in the exporting country provided by the seller. Material may be used cooking oil of animal or vegetable origin. Any relevant Import permits must be obtained by the importer. Material must also be accompanied with RED-compliant certification issued by a European Commission-approved auditing body.

**Assessment time:** 4:30pm Singapore time

#### EPA-compliant UCO fob Strait of Malacca bulk

Used cooking oil as defined by Harmonised System (HS) code 151800. If the HS code 151800 definition differs from the Argus specification listed below, the Argus specification takes precedence.

**Currency/unit:** US dollars/tonne

**Timing:** loading 30-45 days forward of the day of assessment

**Location:** fob Port Klang, Pasir Gudang, Tanjung Langsat, Singapore

**Size:** 2,500-5,000t

**Free fatty acids (FFA):** maximum 15pc

**Moisture, impurities and unsaponifiable (MIU):** maximum 2pc

**Certification:** material must comply with US Environmental Protection Agency (EPA) requirements. Records demonstrating the traceability of the UCO must be provided to the buyer upon sale of product or stored on the buyer's behalf within an EPA-compliant recordkeeping platform. Material to be accompanied by a health veterinary certificate issued by an official government body in the exporting country provided by the seller. Material may be used cooking oil of animal or vegetable origin. Any relevant Import permits must be obtained by the importer. Material must also be accompanied with RED-compliant certification issued by a European Commission-approved auditing body.

**Assessment time:** 4:30pm Singapore time

#### Brown grease DAP China

Brown grease (including VAT)

**Currency/unit:** Chinese yuan/tonne and converted to US dollars/tonne

**Timing:** delivery 7-10 days forward of the day of assessment

**Location:** dap China

**Size:** 200-1,000t

**Moisture and impurities (MIU):** maximum 3pc

**Unsaponifiables:** maximum 2pc

**Saponification value (SV):** minimum 185mg KOH/g

**Iodine value (IV):** minimum 60g iodine/hg

**Certification:** material must be accompanied with RED-compliant certification issued by a European Commission-approved auditing body

**Assessment time:** 4:30pm Singapore time

#### UCO fob Indonesia

Used cooking oil

**Currency/unit:** US dollars/tonne

**Timing:** loading 30-45 days forward of the day of assessment

**Location:** fob Indonesia (Belawan, Gresik, Jakarta, Semarang and Makassar)

**Size:** 500-1,000t

**Free fatty acids (FFA):** maximum 5pc

**Moisture and impurities (MIU):** maximum 2pc

**Iodine value (IV):** minimum 50g iodine/hg

**Sulphur content:** maximum 50ppm

**Certification:** material must be accompanied with RED-compliant certification issued by a European Commission-approved auditing body

**Assessment time:** 4:30pm Singapore time

#### UCO fob Vietnam

Used cooking oil

**Currency/unit:** US dollars/tonne

**Timing:** loading 30-45 days forward of the day of assessment

**Location:** fob Vietnam

**Size:** 200-1,000t

**Free fatty acids (FFA):** maximum 5pc

**Moisture and impurities (MIU):** maximum 2pc

**Unsaponifiables:** maximum 1pc

**Iodine value (IV):** minimum 60g iodine/hg

**Sulphur content:** maximum 50ppm

**Certification:** material must be accompanied with RED-compliant certification issued by a European Commission-approved auditing body

**Assessment time:** 4:30pm Singapore time

#### POME oil fob Malaysia/Indonesia

Palm oil mill effluent (POME) oil

**Currency/unit:** US dollars/tonne

**Timing:** loading 30-45 days forward of the day of assessment

**Location:** fob Malaysia (Port Klang/Pasir Gudang/Lahad Datu) or fob Indonesia (Dumai/Belawan)

**Size:** 2,000-5,000t

**Total fatty matter (TFM):** minimum 95pc

**Free fatty acids (FFA):** minimum 50pc

**Moisture and impurities (MIU):** maximum 3pc

**Certification:** material must be accompanied with RED-compliant certification issued by a European Commission-approved auditing body

**Assessment time:** 4:30pm Singapore time

### RBD palm olein fob Malaysia/Indonesia

**Currency/unit:** US dollars/tonne

**Size:** 500-2,000t bulk

**Timing:** loading 2-4 weeks forward of the day of assessment

**Fatty acid:** maximum 0.1pc

**Moisture and impurities:** maximum 0.1pc

**Iodine value:** minimum of 56g iodine/hg

**Melting point:** maximum 24°C

**Colour:** minimum 3 red

**Assessment time:** 4:30pm Singapore time

Prices are published for the first three months trading

### Americas biofuels

#### SME fob upriver, Argentina

Published prices are the previous day's close in the US. See the [Argus Americas Biofuels methodology](#).

#### Argentinian soybean oil

Published prices are the previous day's close in the US. See the [Argus Americas Biofuels methodology](#).

#### SME fob US Houston B100

Published prices are the previous day's close in the US. See the [Argus Americas Biofuels methodology](#).

#### SME fob US Houston B100 $\phi$ /USG

Published prices are the previous day's close in the US. See the [Argus Americas Biofuels methodology](#).

## Alternative aviation fuels

### Hydrotreated esters and fatty acids (HEFA-SPK)

#### RED SAF fob ARA range

Sustainable Aviation Fuel (SAF) – prices are converted to US dollars/t assuming  $1\text{m}^3 = 0.76\text{t}$

#### RED SAF fob ARA differential to SAF-escalated 7-28 day Ice gasoil

See the [Argus Jet Fuel methodology](#).

#### RED SAF fob ARA range less HBE-IXB

Calculated and published in US dollars/tonne as the Argus RED SAF HEFA-SPK fob ARA range assessment less 2.4 times the price of the daily Netherlands advanced renewable fuels unit (HBE-IXB) assessment. HBE-IXBs generated from the sale of HEFA-SPK for the use in aviation are subject to a multiplier of 1.2 in the Netherlands and are also eligible for double counting.

#### RED SAF cif northwest Europe

Sustainable Aviation Fuel (SAF) – prices are converted to US dollars/t assuming  $1\text{m}^3 = 0.76\text{t}$

#### RED SAF cif northwest Europe differential to SAF-escalated 7-28 day Ice gasoil

See the [Argus Jet Fuel methodology](#).

#### RED SAF fob Singapore netback

See the [Argus Jet Fuel methodology](#).

#### RED SAF blends fob Singapore

Calculated and published in US dollars/tonne as SAF1, SAF10 and SAF30 blend ratios of RED SAF fob Singapore and jet/kerosene Singapore. For example, SAF1 is a blend of 1pc SAF and 99pc jet. Currency/unit: US dollars/tonne

**Size:** 3,000-5,000t

See the [Argus Jet Fuel methodology](#) for more information about Argus jet fuel and SAF coverage. Prices are calculated using the latest available component values.

## Alternative marine fuels

### Marine biodiesel blend

#### RED B30 marine UCOME dob ARA range

B30 marine biodiesel and VLSFO blend meeting ISO 8217 Used cooking oil methyl ester meeting EN14214 (30pc) and 0.5%S 380cst fuel oil (70pc).

**Currency/unit:** US dollars/tonne

**Timing:** delivery 5-14 days forward of the day of assessment

**Location:** dob ARA

**Size:** minimum 200t

**Certification:** material must be accompanied with RED-compliant certification issued by a European Commission-approved auditing body

**Assessment time:** 5:30pm London time

See the [Argus Marine Fuels methodology](#) for information about Argus bunker fuel coverage.

#### RED marine Advanced Fame 0°C CFPP dob ARA range

Calculated and published in US dollars/tonne as B20, B30 and B100 blend ratios of RED Advanced Fame 0°C CFPP fob ARA range and 0.5%S 380cst fuel oil dob ARA, less 0.8 times the price of the daily Netherlands advanced renewable fuels unit (HBE-G) assessment. HBE-Gs generated from the sale of advanced Fame for use as marine fuel are subject to a multiplier of 0.4 in the Netherlands but are also eligible for double counting. Calculation includes variable costs associated with storage, throughput and transport that are regularly reviewed. For example, B20 is a blend of 20pc biodiesel and 80pc fuel oil and B100 is 100pc biodiesel.

**Currency/unit:** US dollars/tonne

**Size:** 1,000-3,000t

See the [Argus Marine Fuels methodology](#) for information about Argus bunker fuel coverage. Prices are calculated using the latest available component values.

#### B24 marine UCOME dob Algeciras-Gibraltar

B24 marine biodiesel and VLSFO blend meeting ISO 8217 Used cooking oil methyl ester meeting EN14214 (24pc) and 0.5%S 380cst fuel oil (76pc)



**Currency/unit:** US dollars/tonne

**Timing:** delivery 3-14 days forward of the day of assessment

**Location:** dob Algeciras-Gibraltar

**Size:** minimum 200t

**Certification:** biodiesel must be accompanied by RED-compliant certification issued by a European Commission-approved auditing body

**Assessment time:** 5:30pm London time

See the [Argus Marine Fuels methodology](#) for information about Argus bunker fuel coverage.

### B24 marine UCOME dob Singapore

B24 marine biodiesel and VLSFO blend meeting ISO 8217

Used cooking oil methyl ester meeting EN14214 (24pc) and 0.5%S 380cst fuel oil (76pc).

**Currency/unit:** US dollars/tonne

**Timing:** delivery 4-12 days forward of the day of assessment

**Location:** dob Singapore

**Size:** minimum 100t

**Certification:** biodiesel must be accompanied by ISCC or similar certification

**Assessment time:** 7pm Singapore time

See the [Argus Marine Fuels methodology](#) for information about Argus bunker fuel coverage.

### B24 marine UCOME dob Guangzhou

B24 marine biodiesel and VLSFO blend meeting ISO 8217

Used cooking oil methyl ester meeting EN14214 (24pc) and 0.5%S 380cst fuel oil (76pc).

**Currency/unit:** US dollars/tonne

**Timing:** delivery 4-15 days forward of the day of assessment

**Location:** dob Guangzhou

**Size:** 300-3,000t

**Certification:** biodiesel must be accompanied by ISCC or similar certification

**Assessment time:** 7pm Singapore time

See the [Argus Marine Fuels methodology](#) for information about Argus bunker fuel coverage.

## Ethanol

### RED double-counting ethanol fob ARA range

Anhydrous, undenatured ethanol meeting EN15376 specifications. If the EN15376 specification differs from the Argus specification listed below, the Argus specification takes precedence.

EU duty free, EU duty paid or in free EU circulation

**Currency/unit:** assessed and published in euros/m<sup>3</sup>. The assessment is also converted and published in US dollars/tonne

**Timing:** loading 7-28 days forward of the day of assessment

**Location:** fob ARA range — including Antwerp, Rotterdam, Amsterdam, Dordrecht and Ghent

**Size:** 1,000t

**Certification:** material must be accompanied with RED-compliant certification issued by European Commission-approved auditing body. Sellers must be able to provide all of the below certification criteria and, in addition, buyers must declare the relevant certifica-

tion scheme when nominating barges

- Netherlands double-counting eligible — qualified to count double under Netherlands renewable energy for transport laws and regulations
- UK double-counting eligible — qualified to count double under UK renewable energy for transport laws and regulations.

If buyers declare UK double-counting eligible, sellers must also be able to provide evidence of duty-free status for UK import and/or EU origin

**Assessment time:** 4pm to 4:30pm London time

**Proof of sustainability:** documentation of POS or sustainability declaration must be transferred between counterparties within 30 working days after bill of lading.

### RED (T2) Ethanol fob ARA range, inc duty

Ethanol meeting EN15376 specifications

If the EN15376 specification differs from the Argus specification listed below, the Argus specification takes precedence.

EU duty free or EU duty paid

**Currency/unit:** assessed and published in euros/m<sup>3</sup>. The assessment is also converted to and published in US dollars/tonne

**Timing:** loading 5-15 days forward of the day of assessment

**Location:** fob ARA range — including Antwerp, Rotterdam, Amsterdam, Dordrecht and Ghent

**Size:** 1,000t

**Certification:** material must be accompanied with RED-compliant certification issued by European Commission-approved auditing body

**GHG savings:** minimum 64pc greenhouse gas savings, based on a fossil fuel comparator of 94g CO<sub>2</sub> equivalent/MJ

**Assessment time:** 4pm to 4:30pm London time

### RED (T2) fob ARA range, inc duty differential to Eurobob non-oxy

Argus RED T2 ethanol differentials to Argus Eurobob non-oxy prices are calculated using a conversion rate of 1m<sup>3</sup> = 0.789t

EU duty free or EU duty paid

**Currency/unit:** US dollars/tonne

**Assessment time:** 4pm to 4:30pm London time

See the [Argus European Products methodology](#).

### RED (T2) premium Ethanol fob ARA range, inc duty

Ethanol meeting EN15376 specifications

If the EN15376 specification differs from the Argus specification listed below, the Argus specification takes precedence.

EU duty free or EU duty paid

**Currency/unit:** assessed and published in euros/m<sup>3</sup>. The assessment is also converted to and published in US dollars/tonne

**Timing:** loading 5-15 days forward of the day of assessment

**Location:** fob ARA range — including Antwerp, Rotterdam, Amsterdam, Dordrecht and Ghent

**Size:** 1,000t

**Certification:** material must be accompanied with RED-compliant certification issued by a European Commission-approved auditing body

**GHG savings:** minimum 90pc greenhouse gas savings based on a fossil fuel comparator of 94g CO<sub>2</sub> equivalent/MJ.

**Assessment time:** 4pm to 4:30pm London time



## ETBE fob Rotterdam, ETBE differential to MTBE

See the Argus European Products methodology.

### Ethanol fob Pakistan

99.7pc anhydrous fuel-grade ethanol

**Currency/unit:** US dollars/tonne

**Timing:** loading 30-60 days forward of the day of assessment

**Location:** fob Pakistan (Karachi)

**Size:** assessments are standardised to cargoes of 2,000-5,000t

**Assessment time:** 4:30pm Singapore time

### Ethanol fob Pakistan (hydrous)

96pc extra neutral alcohol (ENA)

**Currency/unit:** US dollars/tonne

**Timing:** loading 30-60 days forward of the day of assessment

**Location:** fob Pakistan (Karachi)

**Size:** assessments are standardised to cargoes of 2,000-5,000t

**Assessment time:** 4:30pm Singapore time

### Ethanol cfr Mumbai

99pc industrial-grade ethanol

**Currency/unit:** US dollars/tonne

**Timing:** delivery 30-60 days forward of the day of assessment

**Duties:** Prices are exclusive of duties and taxes at destination

**Size:** assessments are standardised to cargoes of 20,000-30,000t

**Assessment time:** 4:30pm Singapore time

### Ethanol cfr Philippines

99pc anhydrous fuel-grade ethanol

**Currency/unit:** US dollars/m<sup>3</sup>

**Timing:** delivery 30-60 days forward of the day of assessment

**Location:** cfr Philippines (Subic Bay/Batangas)

**Size:** assessments are standardised to cargoes of 10,000-20,000m<sup>3</sup>

**Assessment time:** 4:30pm Singapore time

### Ethanol cfr China fuel-grade

**Currency/unit:** US dollars/tonne

**Timing:** delivery 60-75 days forward of the day of assessment

**Location:** cfr northeast China including Lianyungang, Rizhao, Tianjin, Dalian, Shanghai, Nanjing and Nantong

**Size:** assessments are standardised to full MR vessels of 40,000-50,000t

**Specification:** China GB/T

**Assessment time:** 4:30pm Singapore time

### B-grade cfr northeast Asia

95pc hydrous ethanol

**Currency/unit:** US dollars/m<sup>3</sup>

**Timing:** delivery 60-90 days forward of the day of assessment

**Location:** cfr northeast Asia (Ulsan/Chiba)

**Size:** assessments are standardised to cargoes of 5,000-15,000m<sup>3</sup>

**Assessment time:** 4:30pm Singapore time

## Biomethanol

### RED biomethanol cif UK

**Quality:** IMPCA specification

**Currency/unit:** US dollars/tonne

**Timing:** loading 5-30 forward of the day of assessment

**Location:** cif UK

**Size:** 1,000-4,000t

**Certification:** material must be accompanied with RED-compliant certification issued by a European Commission-approved auditing body. Sellers must be able to provide certification that product is UK double-counting eligible — qualified to count double under UK renewable energy for transport laws and regulations

**Assessment time:** 4:30pm London time

### RED biomethanol fob ARA range netback

Calculated as the cif UK biomethanol assessment less the daily freight differential between ARA and the Thames. Published in US dollars/tonne and converted to euros/tonne.

### Biomethanol differential to fob Rotterdam methanol

Argus RED biomethanol fob ARA differential to Argus fob Rotterdam barge daily methanol index

**Currency/unit:** US dollars/tonne

**Assessment time:** 4:30pm London time

See the [Argus Methanol Daily methodology](#).

## Biomethane

### RED biomethane Germany VTP (THE)

Unsubsidized, gaseous biomethane meeting EN 16723-2 specifications and produced in line with requirements laid out in the Biomasseverordnung and Biokraftstoff- Nachhaltigkeitsverordnung delivered into the German transport sector.

**Feedstock:** RED-compliant Annex IX Part A feedstocks as listed in Annex 1 of the 38th enactment of the Bundes-Immissionsschutzgesetz

**Currency/unit:** euros/MWh

**Timing:** prices are assessed for the current compliance year and may also be assessed for forward compliance years for which Argus has determined that sufficient market liquidity exists to produce a robust assessment.

A compliance year ends and the respective assessment ceases on 31 December. Argus begins assessing a forward compliance year no later than 1 October of the current compliance year. For example, Argus will begin publishing a 2024 compliance year assessment no later than 1 October 2023.

**Origin:** Germany

**Size:** minimum 1GWh

**Certification:** material must be accompanied with RED-compliant certification issued by a European Commission-approved auditing body and validated against Germany's biomass web application system Nabisy

**Carbon intensity:** 10grCO<sub>2</sub>e/MJ

GHG savings: minimum 89.4pc greenhouse gas (GHG) savings based on a fossil fuel comparator of 94g CO<sub>2</sub> equivalent/MJ

**Assessment time:** 4:30pm London time on Thursdays

### RED premium biomethane Germany VTP (THE)

Unsubsidized, gaseous biomethane meeting EN 16723-2 specifications and produced in line with requirements laid out in the Biomasseverordnung and Biokraftstoff- Nachhaltigkeitsverordnung

**Feedstock:** RED-compliant Annex IX Part A feedstocks as listed in Annex 1 of the 38th enactment of the Bundes-Immissionsschutzgesetz

**Currency/unit:** euros/MWh

**Timing:** prices are assessed for the current compliance year and may also be assessed for forward compliance years for which Argus has determined that sufficient market liquidity exists to produce a robust assessment.

A compliance year ends and the respective assessment ceases on 31 December. Argus begins assessing a forward compliance year no later than 1 October of the current compliance year. For example, Argus will begin publishing a 2024 compliance year assessment no later than 1 October 2023.

**Origin:** Germany

**Size:** minimum 1GWh

**Certification:** material must be accompanied with RED-compliant certification issued by a European Commission-approved auditing body and validated against Germany's biomass web application system Nabisy

**Carbon intensity:** -100grCO<sub>2</sub>e/MJ

**GHG savings:** minimum 206.4pc greenhouse gas (GHG) savings based on a fossil fuel comparator of 94g CO<sub>2</sub> equivalent/MJ

**Assessment time:** 4:30pm London time on Thursdays

### Biopropane

#### Biopropane fca ARA range

EU duty free or EU duty paid

**Feedstock:** RED-compliant used cooking oil

**Currency/unit:** US dollars/tonne, a US dollar/m<sup>3</sup> conversion is published assuming 1m<sup>3</sup> = 0.522t

**Timing:** loading 7-28 days forward of the day of the assessment

**Location:** fca ARA range — including Antwerp, Rotterdam, Amsterdam, Dordrecht, Flushing and Ghent

**Size:** 20-500t

**Certification:** material must be accompanied with RED-compliant certification or certification for markets and sectors not regulated by RED including chemical and energy markets – such as ISCC Plus – issued by a European Commission-approved auditing body

**Assessment time:** 4:30pm London time

### Monthly averages

Monthly averages are the average of midpoint prices published during the calendar month. The final indexes for a month should be taken as those published in the last Argus Biofuels of the month.

Monthly averages are published in \$/t unless specified.

#### Monthly indexes are published for:

- RED Palm OME fob ARA range
- RED rapeseed OME fob ARA range
- RED Soya OME fob ARA range
- RED Fame 0°C CFPP fob ARA range
- RED Fame -10°C CFPP fob ARA range
- RED UCOME fob ARA range

- RED Tallow OME fob ARA range
- RED POME OME fob ARA range
- RED Advanced Fame 0°C CFPP fob ARA range

- RED UCOME fob China
- RED UCOME fob Straits of Malacca
- RED PME fob Malaysia
- RED PME fob Indonesia
- SME fob Argentina
- RED HVO fob ARA range (Class I)
- RED HVO fob ARA range (Class II)
- RED HVO fob ARA range (Class III)
- RED HVO fob ARA range (Class IV)
- RED HVO fob China (Class II)
- RED HVO fob China (Class IV)
- RED HVO fob Singapore (Class I)
- RED HVO fob Singapore (Class II)
- RED HVO fob Singapore (Class III)
- RED HVO fob Singapore (Class IV)
- RED POME OME fob China bulk

- RED SAF HEFA-SPK fob ARA range
- RED SAF fob Singapore netback

- Bionaphtha fob ARA range
- Bionaphtha cfr northeast Asia range
- Biopropane fca ARA range

- RSO fob Dutch mill prompt (€/t)
- UCO fob ARA range
- UCO cif ARA
- UCO ex-works ARA range
- Tallow (categories 1 and 2) fca northwest Europe
- Tallow (category 3) fca northwest Europe
- POME oil cif ARA

- RED premium bulk UCO fob China
- RED bulk UCO fob Straits of Malacca
- RED UCO fob China
- RED UCO fob Indonesia
- RED UCO fob Vietnam
- RED bulk UCO fob China
- RED POME oil fob Malaysia/Indonesia
- RED (T2) premium Ethanol fob ARA range, inc duty
- RED (T2) premium Ethanol fob ARA range, inc duty (€/m<sup>3</sup>)
- RED (T2) premium Ethanol fob ARA range, inc duty differential to Eurobob oxy
- RED (T2) Ethanol fob ARA range, inc duty
- RED (T2) Ethanol fob ARA range, inc duty (€/m<sup>3</sup>)
- RED (T2) Ethanol fob ARA range, inc duty differential to Eurobob oxy

- Ethanol fob Pakistan

- Ice gasoil - 7-28 days forward
- Ice gasoil - 7-28 days forward (HVO-escalated)
- Ice gasoil - 7-28 days forward (SAF-escalated)

## Reference prices

### Glycerine fob SE Asia

**Currency/unit:** US dollars/tonne

Glycerine reference price refers to crude glycerine with at least 80pc glycerol content, fob southeast Asia, based on notional bid/offer levels.

### Malaysia, Palm oil futures

**Currency/unit:** US dollars/tonne, converted from ringgit

Prices for the first three forward month contracts as published by the Bursa Malaysia palm futures exchange. The last day of assessment of the first forward month is the last full day of exchange trading of that month before expiry.

### Soybean oil futures

**Currency/unit:** US dollars/tonne

Cbot futures prices are converted to metric tonnes. The timestamp is 4:30pm London time based on the latest available Cbot prices for the first three forward months.

### German biofuel quota (Treibhausgasminderungsquote)

Prices are published for quotes produced from categories of fuels:

- Conventional GHG quota
- Single-counting advanced GHG quota
- Double-counting advanced GHG quota
- Other GHG quota
- Annex IX part B GHG quota

See the [Argus O.M.R. Fuels methodology](#).

### Upstream emission reduction (UER) certificates

The price of certified upstream emission reductions (UER) generated and validated in accordance with the German upstream emissions reduction ordinance (UERV). See the [Argus O.M.R. Fuels methodology](#).

### UK renewable transport fuel certificate (RTFC)

The price of an RTFC, a certificate acceptable for use in meeting the legally prescribed volumetric obligation for finished transport fuel under the UK Renewable Transport Fuel Obligation (RTFO).

Prices are assessed and published as the best bid and offer in the market at 4:30pm London time.

**Currency/unit:** p/RTFC (p/l)

**Timing:** prices are assessed for the most recent obligation period that has yet to be surrendered and may also be assessed for forward obligation periods for which Argus has determined that sufficient market liquidity exists to produce a robust assessment.

The obligation period ends on 31 December, and obligations are surrendered on 15 September the following year. Argus ceases the assessment of the obligation year on 15 June of the following year and begins assessing the next obligation period no later than 15 June of the obligation year. For example, Argus will begin publishing a 2020 obligation period assessment no later than 15 June 2020 but may begin publication earlier than that date should Argus deem market liquidity sufficient to produce a robust assessment. Argus will publish a 2020 obligation period up to and including 15 June 2021.

### Crop-based RTFC

The price of an RTFC generated by single counting crop-based biofuels as defined under UK RTFO Order 2007 No. 3072 and subsequent amendments.

### Other RTFC

The price of an RTFC generated by double counting biofuels produced from wastes and processing residues, agricultural residues, non-food cellulosic and ligno-cellulosic material and renewable fuels of non-biological origin, as defined under UK RTFO Order 2007 No. 3072 and subsequent amendments.

### Netherlands renewable fuel units (HBE)

The price of an HBE, a certificate acceptable for use in meeting the legally prescribed energetic obligation for finished transport fuel under the Netherlands' Energy for Transport Registry. Prices are assessed and published daily as the best bid and offer in the market at 4:30pm London time.

**Currency/unit:** €/GJ

**Timing:** All HBE prices are assessed for the most recent obligation period that has yet to be surrendered and may also be assessed for forward obligation periods for which Argus has determined that sufficient market liquidity exists to produce a robust assessment.

The obligation period ends on 31 December, and obligations are surrendered on 30 April the following year. Argus ceases the assessment of the obligation year on 30 April of the following year and begins assessing the next obligation period no later than 31 March of the obligation year.

For example, Argus will begin publishing a 2023 obligation period assessment no later than 31 March 2023 but may begin publication earlier than that date should Argus deem market liquidity sufficient to produce a robust assessment. Argus will publish a 2023 obligation period up to and including 30 April 2024.

### Netherlands advanced renewable fuel units (Hernieuwbare brandstofeenheden-Geavanceerd)

The price of an advanced renewable fuel unit (HBE-G), acceptable for use in meeting the legally prescribed energetic obligation for finished transport fuel under the Netherlands' Energy for Transport Registry.

### Netherlands conventional renewable fuel units (Hernieuwbare brandstofeenheden-Conventioneel)

The price of a conventional renewable fuel unit (HBE-C), acceptable for use in meeting the legally prescribed energetic obligation for finished transport fuel under the Netherlands' Energy for Transport Registry.

### Netherlands other renewable fuel units (Hernieuwbare brandstofeenheden-Overig)

The price of an 'other' renewable fuel unit (HBE-O), acceptable for use in meeting the legally prescribed energetic obligation for finished transport fuel under the Netherlands' Energy for Transport Registry.

### Netherlands Annex IX part B renewable fuel units (Hernieuwbare brandstofeenheid-bijlage IX-B)

The price of an Annex IX part B renewable fuel unit (HBE-IXB) ac-

ceptable for use in meeting the legally prescribed energetic obligation for finished transport fuel under the Netherlands' Energy for Transport Registry.

### Renewable gas guarantees of origin

Prices are published weekly on Thursday for renewable gas guarantees of origin (RGGOs) issued for gas produced in Denmark, the Netherlands and the UK. Prices are published for gas produced during the previous calendar year, current calendar year and one year ahead and for two feedstock categories, crop-based and waste-based. See the [Argus Global Energy Certificates methodology](#).

## Freight

Argus Biofuels contains freight cost assessments. Freight assessments are published weekly on Friday and are the low-high range of the price at which fixtures were made or could have been made on the day of publication. Assessments are based on fixtures and market discussions for the relevant cargo, volume, route and timings. Freight assessments are published in US dollars/t.

Freight specifications			
Commodity	Route	Volume	Forward timing
Palm oil	Malaysia to ARA region	15,000-30,000t	15-30 days
Palm oil	Malaysia to Mediterranean region (including Genoa, Barcelona and Huelva)	15,000-30,000t	15-30 days
PME	Malaysia to ARA region	3,000-5,000t	15-30 days
PME	Malaysia to Mediterranean region (including Genoa, Barcelona and Huelva)	3,000-5,000t	15-30 days
HVO	Singapore to ARA region	40,000t	15-30 days
Ethanol	US Gulf Coast to China	40,000-50,000t	15-30 days
UCO	China to ARA region	5,000t	15-30 days
UCO/POME oil	Malaysia to ARA region	3,000-5,000t	15-30 days
UCO/POME oil	Malaysia to Mediterranean region (including Genoa, Barcelona and Huelva)	3,000-5,000t	15-30 days
Ucome/HVO	China to ARA region	5,000t	15-30 days

## Forward price assessments and swaps

All RED swaps and forward assessments assume product that is accompanied with RED-compliant certification issued by the European Commission-approved auditing body. All RED swaps and forward prices are assessed for three months and three quarters forward. The last day of assessment of the first forward month will be the last full UK day of trading of that month prior to the Ice low-sulphur gasoil last trade date. The last day of assessment of the first forward quarter will be the last full UK day of trading prior to the Ice low-sulphur gasoil last trade date of the month preceding the start of the quarter.

Swap and forward price assessments are published for:

- RED RME swap
- RED Fame 0°C CFPP swap
- RED UCOME fob ARA range swap
- RED PME forward physical
- RED SME forward physical
- RED Fame -10°C CFPP forward physical
- RED HVO (Class II) fob ARA range swap
- RED (T2) Ethanol fob ARA range swap

See spot price assessments above for specifications.

**Timestamp:** 4:30pm London time

### Ice gasoil swap

The front-month Ice gasoil swaps price is calculated as the number of working days in the current calendar month including and between the publication date and the last working day of the month pro-rata for the two possible Ice gasoil front-month settles based on the days covered by each contract.

### Ice gasoil settle

The official settlement figures published by Ice in London.

### 7-28 day Ice gasoil

Calculated on the day of assessment as the average of settlement prices for the first or first and second forward month Ice gasoil contract, weighted by the number of Argus publishing days in the 7-28 day loading period.

### 7-28 day HVO-escalated Ice gasoil

The 7-28 day Ice gasoil price adjusted to an HVO-equivalent density of 0.78kg/l, assuming a gasoil density of 0.845kg/l in a vacuum at 15°C.

### 7-28 day SAF-escalated Ice gasoil

The 7-28 day Ice gasoil price adjusted to an SAF-equivalent density of 0.76kg/l, assuming a gasoil density of 0.845kg/l in a vacuum at 15°C.

### Palm oil-gasoil spread (Pogo)

The spread between the third forward month Bursa Malaysia palm oil futures settlement price and the corresponding Ice low sulphur gasoil futures settlement price.

**Currency/unit:** US dollars/tonne

**Conversion and rounding:** palm oil futures prices are converted to US dollars and rounded to the nearest \$0.25/t

**Assessment time:** the timestamp for the spread is 4:30pm London time, based on the latest available Bursa Malaysia and Ice prices. The assessment follows the Argus rolling schedule for Bursa Malaysia futures prices. The palm oil-gasoil spread is published on Argus Biofuels publication dates for which the relevant Bursa Malaysia and Ice futures prices are available.

### **Beanoil-gasoil spread (Bogo)**

The spread between the second forward month Cbot soybean oil futures price and the corresponding Ice low sulphur gasoil futures settlement price.

**Currency/unit:** US dollars/tonne

**Conversion and rounding:** soybean oil futures prices are converted to metric tonnes and rounded to the nearest \$0.25/t

**Assessment time:** the timestamp for the spread is 4:30pm London time, based on the latest available Cbot and Ice prices. The assessment follows the Cbot rolling schedule. The Beanoil-gasoil spread is published only on Argus Biofuels publication dates for which the relevant Cbot and Ice futures prices are available.